


Wire Wheels & Brushes



SIZE DIA.	SHANK DIA.	WIRE	TYPE	STYLE	ITEM #	PRICE
1"	1/4"	Coarse	End	Crimped	72737-F	\$3.82
1"	1/4"	Fine	End	Crimped	72738-F	3.70
2"	1/4"	Coarse	Cup	Crimped	72729-F	3.58
2"	1/4"	Fine	Cup	Crimped	72730-F	3.70
3"	1/4"	Coarse	Cup	Crimped	72731-F	4.60
3"	1/4"	Fine	Cup	Crimped	72732-F	4.60
2"	1/4"	Coarse	Disc	Crimped	72727-F	3.14
2"	1/4"	Fine	Disc	Crimped	72728-F	3.14
2-1/2"	1/4"	Coarse	Disc	Crimped	72733-F	4.26
3"	1/4"	Coarse	Disc	Crimped	72735-F	4.04
3"	1/4"	Fine	Disc	Crimped	72736-F	4.04
SIZE DIA.	THREAD SIZE	FACE WIDTH	TYPE	STYLE	ITEM #	PRICE
2-3/4"	5/8"-11	-----	Cup	Crimped	72755-F	7.08
2-3/4"	5/8"-11	-----	Cup	Knot	72757-F	7.42
2-3/4"	M10x1.25	-----	Cup	Knot	72782-F	7.76
4"	5/8"-11	-----	Cup	Knot	72753-F	16.52
5"	5/8"-11	-----	Cup	Crimped	72754-F	12.70
6"	5/8"-11	-----	Cup	Knot	72756-F	21.70
4"	5/8"-11	-----	Disc	Knot	72759-F	13.94
4"	5/8"-11	-----	Disc	Stinger	72760-F	14.16
4"	M10x1.25	-----	Disc	Knot	72784-F	13.38
SIZE DIA.	BORE DIA.	WIRE	TYPE	STYLE	ITEM #	PRICE
4"	1/2"	Coarse	Wheel	Crimped	72742-F	4.60
6"	5/8"-1/2"	Coarse	Wheel	Crimped	72745-F	7.08
6"	5/8"-1/2"	Fine	Wheel	Crimped	72747-F	6.96
6"	5/8"-1/2"	Fine	Wheel	Crimped	72751-F	14.28
6"	5/8"-1/2"	Coarse	Wheel	Crimped	72752-F	13.72
6"	5/8"-1/2"	Coarse	Wheel	Knot	72749-F	23.38

Non-Ferrous Cutting Blades

- Ideal for cutting non-ferrous materials : Aluminum, Copper, Brass and Plastic
- 7-1/4" For all circular saws
- 10" For miter and cut-off saws
- 12" For miter and cut-off saws



Ferrous Cutting Blades

- Ideal for cutting all kinds of mild steel: Cold Rolled, Hot Rolled, Pipe, Threaded Rod and More
- 7-1/4" Cuts mild steel up to 1/8" thick, for all circular saws
- 10" Cuts mild steel up to 1/4", threaded rod up to 1"
- 12" Cuts mild steel up to 1/4", threaded rod up to 1"
- 14" Cuts mild steel up to 1/4", threaded rod up to 1"

FOR FERROUS METALS					
DIA.	TEETH	ARBOR	MAX RPM	ITEM #	PRICE
5-3/8"	30	5/8"	6,000	D0530F	\$37.52
5-3/8"	30	20 mm	12,000	D0530FM	38.66
6-1/2"	48	5/8"	11,000	D0648F	51.48
6-3/4"	48	20 mm	11,000	D0649F	51.48
7"	38	20 mm	5,800	D0738FM	51.48
7"	48	20 mm	5,800	D0748FM	61.20
7-1/4"	38	5/8" + D	5,800	D0738F	51.48
7-1/4"	48	5/8" + D	5,800	D0748F	55.50
7-1/4"	56	5/8" + D	5,800	D0756F	61.20
7-1/4"	70	5/8"	5,800	D0770F	65.20
8"	42	5/8"	4,300	D0842CF	48.26
9"	46	1"	3,600	D0946CF	52.48
10"	50	1"	3,000	D1050CF	65.40
12" *	60	1"	1,800	D1260CF	146.67
12" *	80	1"	1,800	D1280CF	100.02
14" *	72	1"	1,800	D1472CF	177.40
14" *	90	1"	1,800	D1490CF	135.78
FOR NON-FERROUS METALS					
7-1/4"	56	5/8" + D	10,000	D0756N	56.61
10"	80	5/8"	7,000	D1080N	78.16
12"	96	1"	6,000	D1296N	91.48
FOR WOOD (FRAMING)					
7-1/4"	24	5/8" + D	8,000	D0724A	14.30

* Use only on dedicated low RPM metal cutting saws

Carbide Tipped Saw Blades

You won't find a longer lasting, higher performing or cleaner cutting blade anywhere. Steelmax blades are designed for clean and cool cutting of mild steel, stainless steel, aluminum and thin steel. Our blades are also designed to fit competitor's saws to increase their cutting efficiency.

- Blades fit competitor saws to improve their cutting performance
- Designed to deliver more cuts per dollar
- Clean cuts with fewer sparks and burrs
- High quality C6 tungsten carbide tips
- Designed with varying tooth counts and rake angles for specific purposes
- Cool cutting



FOR ALUMINUM				
DIA.	TEETH	MAX RPM	ITEM #	PRICE
14"	100	1,450	SM-BL-014-SS	\$135.69
FOR MILD STEEL				
7-1/4"	36	3,500	SM-BL-07-5	43.42
14"	72	1,800	SM-BL-014	124.83
FOR STAINLESS STEEL				
14"	90	1,450	SM-BL-014-SS	172.59